# DiskStation DS223j



Brand: Synology Product Code: DS223j Availability: 10 Weight: 0.88kg Dimensions: 165.00mm x 100.00mm x 225.50mm

Price: \$16,363.00

#### **Short Description** Synology 2 Bay DiskStation DS223j

#### Description





# **Comprehensive data protection**

Hardware and software engineered to protect your data — trusted by millions.

### **Built for sharing**

DS223j is designed for small teams to share, sync, and collaborate more efficiently.

## Multi-platform file access

Manage your files and media from anywhere with Synology Drive. Available on PC, Mac, Linux, Chromebook, Android, iOS, or any device equipped with a browser.

#### R



#### Seamless synchronization to clouds

Sync files between your private cloud and public cloud storage platforms, including Google Drive, Dropbox, Microsoft OneDrive, and more with Synology Cloud Sync. Retain local copies of your cloud data to centralize management and achieve data ownership.

\*\*\*\*

# Your data in safe hands with Btrfs<sup>1</sup>

The advanced Btrfs file system helps safeguard data against corruption through file selfhealing and allows for the reversal of unintentional or malicious changes through fast snapshot technology.

## Store, share, and protect

Use your DS124 to manage all your documents, photos, and other files, or protect your physical assets with professional video surveillance.

**Photo management** 

Manage your photo collection

Organize your photos and videos with smart and intuitive features. Browse automatically generated albums using facial recognition, geolocation, tags, and more.

Sharing made safer and easier

Securely share media with others while leveraging enhanced privacy features for greater peace of mind. Create a Shared Space to work together with invitees using a folder-based media library.

#### **Data protection**

Automated media backup

Automatically upload photos and videos taken on your mobile device to your private cloud with Synology Photos or Synology Drive.

Protection against cyberattacks

Leverage Synology Drive to protect data from ransomware attacks or accidental deletion with real-time or scheduled backup of your PC folders.

Wide compatibility

Choose from over 8,300 IP cameras or ONVIF devices compatible with Synology Surveillance Station to keep your premises secure.<sup>1</sup>

Universal access

Watch live camera streams through web browsers, desktop clients, or mobile apps. Get notified of events and take immediate action.

V V D <u>4</u>

Add an extra layer of protection

#### Perform full Synology system backups

Back up your entire Synology device, including system settings and applications, or select specific folders. Transfer all backup data to multiple destinations using Hyper Backup.<sup>2</sup>

Keep your data safe with snapshots

Take your data protection to the next level by creating automatic point-in-time snapshots of shared folders that can be copied off-site and rapidly restored using Snapshot Replication.

#### Software

DSM Specifications <u>Storage Management</u> Maximum Single

Maximum Single Volume Size Maximum Internal Volume Number Supported RAID Type

RAID Migration Volume Expansion

with Larger HDDs

Adding a HDD

Notes

Volume Expansion by

108 TB

64

- Synology Hybrid RAID
- Basic
- JBOD
- RAID 0
- RAID 1
- Basic to RAID 1
- Synology Hybrid RAID
- RAID 1
- Synology Hybrid RAID
- Usable capacity for each volume will be lower than the maximum volume size and is dependent on the filesystem and the amount of system metadata stored.
- Actual maximum storage pool and volume sizes depend on drive sizes used, the number of drive bays available, and the RAID configuration.

File System	Internal Drives	• Btrfs	
	External Drives	<ul> <li>ext4</li> <li>Btrfs</li> <li>ext4</li> <li>ext3</li> <li>FAT</li> <li>NTFS</li> <li>HFS+</li> </ul>	
	Notes	• exFAT Btrfs file system is available from DSM 7.2-64570.	
File Services	File Protocol	<ul> <li>SMB</li> <li>AFP</li> <li>NFS</li> <li>FTP</li> <li>WebDAV</li> <li>Rsync</li> </ul>	
	Maximum Concurren	-	
	SMB/AFP/FTP		
	Connections		
	Windows Access		
	Control List (ACL)		
	Integration		
	NFS Kerberos		
	Authentication		
	Notes	The testing standard was based on the maximum number of concurrent connections supported by this model. During the testing, 25% of the connections were used to transfer files concurrently. The transfer process guaranteed that the connections were not interrupted; the minimum transfer speed was not guaranteed.	
Account & Shared	Maximum Local Use		
<u>Folder</u>	Accounts		
	Maximum Local Groups	256	
	Maximum Shared Folder	256	
	Maximum Shared Folder Sync Tasks	4	
Hyper Backup	Folder and Package		

Log Center	Backup Syslog Events per Second	200
General Specifications	Supported Protocols	SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPs, FTP, SNMP, LDAP, CalDAV
	Supported Browsers	<ul> <li>Chrome</li> <li>Firefox</li> <li>Edge</li> <li>Safari</li> </ul>
	Supported Language	English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svenska, Nederlands, ??????, Polski, Magyar, Português do Brasil, Português Europeu, Türkçe, ?eský, ??????, ???, ???, ????, ????
	Notes	For an updated list of supported browser versions, check the <u>DSM Technical</u> <u>Specifications</u> .
Add-on Packages vie	w the complete packag	
Synology Chat		
Download Station	Maximum Concurren	t80
	Download Tasks	
SAN Manager	Maximum iSCSI	10
	Target Number	
	Maximum LUN	10
	LUN Clone/Snapshot	,
	Windows ODX	
Media Server	DLNA Compliance	
<u>Synology Photos</u>	Facial Recognition	
Snapshot Replication	Maximum Snapshots per Shared Folder	256
	Maximum of System	4,096
	Snapshots	
	Notes	Snapshot Replication is available from DSM 7.2-64570.
Surveillance Station	Default Licenses	2 <u>(Additional cameras require purchase of licenses)</u>
	Suggested Maximum	• 720p: 12 channels, 360 FPS
	IP Cameras and Total	• 1080p: 12 channels, 360 FPS
	FPS (H.264)	• 3M: 12 channels, 300 FPS

	Suggested Maximum IP Cameras and Tota FPS (H.265)	_
	Notes	<ul> <li>Performance figures are obtained from testing conducted with the device fully populated with drives, with their default memory configuration, and under a continuous recording setup. Actual system capabilities may vary based on configuration, drive performance, enabled features, and the presence of additional workloads.</li> <li>Use <u>NVR Selector</u> to quickly find a suitable model based on your requirements.</li> <li>The maximum number of camera stream outputs is 2 times the suggested maximum number of IP cameras.</li> </ul>
<u>Synology Drive</u>	Recommended Number of Concurrent Sync Clients	200 (the number of connections that can be maintained when the recommended number of hosted files was reached)
	Recommended Number of Hosted Files	500,000 (applies to files indexed or hosted by <u>Synology Drive</u> . For file access through other standard protocols, refer to the File Services section above)
	Notes	<ul> <li>Exceeding the recommended numbers above will not block application operations, but may result in longer response time.</li> <li>Btrfs file system and non-encrypted shared folders were used during the aforementioned testing.</li> </ul>
Synology Office	Suggested Maximum Users Suggested Concurren	500

	Users		
	Notes		<ul> <li>Multiple files were opened for testing and each file was edited by 30 users simultaneously.</li> <li>Client performance may affect maximum simultaneous editing users. Client PCs used for testing: Intel Core i3-3220 / 8GB RAM</li> </ul>
VPN Server	Maximum Connections	10	

### Specification

•	
NAS	
CPU Model	Realtek RTD1619B
CPU Quantity	1
CPU Core	4
CPU Architecture	64-bit
CPU Frequency	1.7 GHz
Hardware Encryption	YES
Engine	
Memory	1 GB DDR4 non-ECC
Drive Bays	2
Compatible Drive Type	3.5 / 2.5 SATA - SSD
RJ-45 1GbE LAN Port	1
USB 3.2 Gen 1 Port	2
System Fan	92 mm x 92 mm x 1 pcs
Power Supply Unit /	60 watts 100V to 240V A 50/60 Hz, Single PhaseC
Adapter	
Product Gallery	
-	







